

April 2010 Lumpkin Co. Public Building Report

Number of Work Order	
Completed	88
Open	8

Number of Community Service Workers Placed 22

Major Projects

- Install water lines & elec. for washer & dryer @ Fire Station #2
- Install 2 new outlets @ Fire Station # 2 (breakers-wire-boxes @ rec.
- Put in French Drain at Yahoola Creek Park
- Install water fountains on concession buildings at Yahoola Creek Park
- Help install new AC units at Library
- Install fan/vent hood over stove at Fire Station #2
- Change Air Filters in all AC units (95 units in 40 buildings)
- working on list of all HVAC units (model & serial no. & filter size)
- Yahoola Creek Project moved pump out of under ground tank put in pump house and run water line to softball fields. (Put plumbing in - poured concrete - builded a building)
- Help Windstream locate entrance for phone system at County Shop - Recycle Center - Animal Shelter
- On going meeting with movers, construction co.-Winter's -HVAC -Electric -Windstream & Phone System

Blairsville Crew Projects

- Painted at Welcome Center 8 Days
- Move tables from Park & Rec.back to high school
- Dug up Septic line at Annex A & cover.
- Paint at Welcome Center,put on kick plates,put bulbs in exit signs put on door handles and plates
- Replace all screws in metal roof at Fire Station # 2
- Dug in and piped down spouts away from building at Fire Station # 2
- Repair downspouts at recycle center
-
-
-
-
-
-

